



Michelle M. Mulder, M.D.P.A. Michelle A. Hanes, M.D.P.A.
1120 Medical Plaza Drive, Suite #340; The Woodlands, TX 77380
Phone (281) 364-1014 Fax (281) 292-1014

POST OPERATIVE INSTRUCTIONS for VAGINAL SURGERY

1. Things to Expect:
 - a. Abdominal tenderness.
 - b. Abdominal bloating and gas due to sluggish bowels.
 - c. Some generalized swelling on post-op days 2 and 3 due to IV fluids.
 - d. Vaginal spotting or discharge lasting up to 6 weeks.

2. Things to Call About:
 - a. Temperature of 100.4 or above. Take your temperature if you feel warm or have chills.
 - b. Bleeding that is heavier than a menstrual period. (Soaking more than one sanitary pad in less than an hour.)
 - c. Severe abdominal pain not relieved by your prescribed medications.
 - d. Malodorous, bloody or pus-like discharge from incisions or vagina.

3. Activities:
 - a. No douching, tampons or intercourse until after your post-op exam by me at the office.
 - b. Limit strenuous activity for the first two weeks. No heavy lifting or pulling during this time. Listen to your body: resume activities slowly and rest when you feel fatigued.
 - c. No swimming but you may shower, take a tub bath and wash your hair.
 - d. You should not drive until 2 weeks post-op. You are able to drive when you feel well enough, can turn easily to check blind spots and brake hard suddenly, if necessary.
 - e. You can return to work at 6-8 weeks post-op, or sooner if you feel able to work and your job is not too strenuous.
 - f. If you have had your ovaries removed, then you will start taking your hormones daily or as directed.
 - g. If you have problems with gas retention or constipation, drink 6-8 glasses of fluid a day and eat a diet high in fiber content. Stool softeners, such as Colace, may be bought without a prescription at your pharmacy and used according to package directions.

4. **INCISION CARE:**

If you have any incisions on your abdomen: Remove band aid 24 hours after surgery, if present. Keep the incision clean and dry. Dissolvable stitches are used, however, there may be a knot remaining on the outside that will need to be removed. If skin glue was used, no dressing is needed and the wound may be washed normally and patted dry. If the glue is peeling up around the edges, it may be trimmed but be careful not to pull the glue off or the wound may come open.

5. Return Visit: Call the office for an appointment to see me 2 weeks following your surgery date.